



STATE OF DELAWARE
 DEPARTMENT OF NATURAL RESOURCES &
 ENVIRONMENTAL CONTROL
DIVISION OF WATER
 89 KINGS HIGHWAY
 DOVER, DELAWARE 19901

**Source Water Assessment and Protection Program
 Source Water Assessment Plan Subcommittee**

Meeting

Thursday February 28, 2019
 10:00 a.m. to 12:00 p.m.
 Tidewater Utilities Training Room
 1100 South Little Creek Rd, Dover, DE 19901

Draft Meeting Agenda

Time	Subject*	Presenter
10:00–10:10	Welcome & Introductions <ul style="list-style-type: none"> • Review of Meeting Minutes from January meeting 	Doug Rambo DNREC Division of Water
10:10 – 11:10	<u>Discussion: Adding Chapter / Appendix on SWAPP Procedures</u> <ul style="list-style-type: none"> • Preliminary Delineation upon Permit Application Receipt (AFRM) - May get moved into Delineation Section • Status Message to Driller (Need for Contamination Review?) About need for Well Permit Review – All Public Wells get Reviewed • Site Inspection with well driller prior to construction • Site Inspection post installation • Well / Treatment run-through with operator/owner • Prioritization of New (initial) Source Water Assessments • Prioritization of Revised Source Water Assessments (new wells, decommissioned wells, significant land-use change, new identified sites of contamination) 	
11:10-11:25	<ul style="list-style-type: none"> • Review of Updates to Table 4-1 (Tentative/ Pending Input from Committee) 	
11:25 – 11:45	Continued Discussion on Susceptibility Determination <ul style="list-style-type: none"> - The current methodology is flawed (Sodium Metals example) - Is a Tiered Susceptibility – PMCL / SMCL / Unregulated) the way to go? 	
11:45 – 12:00	Open Discussion / Public Comment	

Agenda subject to change dependent upon discussions.

AFRM = Arbitrary Fixed Radius Method

Delaware's good nature depends on you!